



**Collaborative Research Scheme (CRS), TEQIP-III**  
**Department of Electronics & Communication Engineering**  
**Baba Ghulam Shah Badshah University, Rajouri (J&K)**

Ref. No: BGSBU/TEQIP-III/ECE/CRS\_02/034

Dated: 08-01-2020

**INVITATION FOR QUOTATIONS**

Quotations are invited for the purchase of the following goods with item wise detailed specifications given in Annexure-I, under TEQIP-III Collaborative Research Scheme (CRS) Project titled "FPGA-based co-processor for DSLR cameras with high coding-efficiency, less-complexity and low-power" with CRS-ID: 1-5748222991

S. No.	Brief Description	Quantity	Delivery Period (in days)	Place of delivery	Installation requirements (if any)
01.	All in One, Printer	01	15	BGSBU Rajouri	N/A

1. Quotation,
  - 1.1. The contract shall be for the full quantity as described above.
  - 1.2. Corrections, if any, shall be made by crossing out, initialing, dating and re-writing.
  - 1.3. All duties and levies payable by the supplier under the contract shall be included in the unit price.
  - 1.4. Applicable taxes shall be quoted separately for all items.
  - 1.5. The price quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
  - 1.6. The prices should be quoted in Indian Rupees only.
2. Each bidder shall submit only one quotation.
3. Quotations shall remain valid for a duration not less than 45 days from the day of quotation submission.
4. Evaluation of Quotations:

The purchaser will evaluate and compare the quotations determined to be substantially responsive i.e. which

  - 4.1. are properly signed, and
  - 4.2. confirm to the terms and conditions, and specifications.
5. The quotations will be evaluated for all items together.
6. Award of contract:

The purchaser will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluation quotation price.

  - 6.1. Notwithstanding the above, the Purchaser reserves the right to accept or reject any quotations and to cancel bidding process and reject all quotations at any time prior to the award of the contract.

*M. Rafi Uddin*





**Collaborative Research Scheme (CRS), TEQIP-III**  
**Department of Electronics & Communication Engineering**  
**Baba Ghulam Shah Badshah University, Rajouri (J&K)**

- 6.2. The bidder whose bid will be accepted will be notified of the award of the contract by the Purchaser prior to the expiration of the validity of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order.
7. Payment will be made in Indian Rupees as follows:  
Delivery and Installation-100% of total cost  
Satisfactory Acceptance-0% of the total cost
8. All supplied items should be under warranty of minimum 12 months from the date of successful acceptance of the items.
9. You are requested to provide your offer latest by 16:00 hours on 22<sup>nd</sup> January 2020
10. Detailed specifications of the items are given in Annexure-I.
11. Training clause (if any): N/A
12. Testing/Installation Clause (if any): N/A
13. Information brochures/ Product Catalogue, if any, must be accompanied with the quotation clearly mentioning the model number quoted for.
14. Sealed quotations to be submitted or delivered at the address mentioned below:  
Mr. Mohd Rafi Lone,  
(Principal Investigator, TEQIP-III CRS)  
Department of Electronics and Communication Engineering  
School of Engineering and Technology,  
Baba Gulam Shah Badshah University, Rajouri.  
Jammu and Kashmir --- 185234  
Mob: 7006910686
15. We look forward to receiving your quotations and thank you for your interest in the project.

(Mr. Mohd Rafi Lone)  
Principal Investigator  
TEQIP-III CRS (ID-5748222991)  
BGSB University, Rajouri (J&K)





**Collaborative Research Scheme (CRS), TEQIP-III**  
**Department of Electronics & Communication Engineering**  
**Baba Ghulam Shah Badshah University, Rajouri (J&K)**

**Annexure I – Detailed Specifications**

Sr. No	Item Name	Specifications
1	All in One LaserJet Printer	<ul style="list-style-type: none"> <li>• <b>Print speed:</b> up to 28 ppm</li> <li>• <b>Duty cycle:</b> Up to 30,000 images/month</li> <li>• <b>Processor speed:</b> 600 MHz</li> <li>• <b>Print memory (standard):</b> 256 MB standard</li> <li>• <b>Connectivity:</b> 10/100BaseT Ethernet, High-Speed USB 2.0, Wi-Fi b/g/n</li> <li>• <b>Maximum print resolution:</b> 600 x 600 dpi (up to 4800 x 600 enhanced image quality)</li> <li>• <b>First-page-out time, printing:</b> As fast as 8.5 seconds</li> <li>• <b>Print features:</b> Bi-directional driver, Booklet printing, Brightness Adjustment, Contrast Adjustment, Custom page size, Earth Smart driver settings, Edge Enhancement, Fit-to-page, Job Monitoring, N-up, Overlays, Paper Selection by Attribute, Poster printing, Print Order, Reduce/Enlarge, Scaling, Skip blank pages, Store and Recall driver settings, Toner save mode, Watermarks</li> <li>• <b>Maximum copy resolution:</b> Up to 1200 x 1200 dpi enhanced image quality</li> <li>• <b>First-page-out time, copying:</b> As fast as 10 seconds</li>   <li>• <b>Scan features:</b> 8-bit Greyscale, Black and white, Colour, PDF/JPEG/TIFF, Scan to PC, Scan to WSD, Scan to email, Scan via TWAIN/WIA</li> <li>• <b>Fax features:</b> Address book, Auto Answer, Auto redial, Auto reduction, Broadcast fax, Colour fax send, Distinctive ring, Fax Forward to Fax, Junk Fax Filter, MH/MR/MMR/JBIG/JPEG Compression, Receive Fax Forward to PC, Secure fax: receive* * - Analog phone line required.</li> <li>• <b>OS support:</b> Debian 5.0-7.1, Fedora 11-19, HP-UX 11.0, 11i v1, 11i v2, 11i v3 (PA-RISC, Itanium), HP-UX® 11.0, HP-UX® 11i v2, IBM AIX 5.1-7.1 (PowerPC), Mac OS® 10.5-10.9, Mint 13-15, Red Hat Enterprise Linux 5, 6, SUSE Linux Enterprise Desktop 10, 11, Sun Solaris 9,10,11 (x86, SPARC), Ubuntu 10.04-13.04, Windows Server 2012, Windows® 2003 Server, Windows® 2008 Server, Windows® 7, Windows® Vista, Windows® XP, openSUSE 11.0-12.3</li> <li>• <b>Document handler:</b> Automatic Document Feeder Capacity: 40 sheets 148 x 148 mm to 216 x 356 mm</li> <li>• <b>Paper capacity: Tray (Main tray):</b> 250 sheets</li> <li>• <b>Tray (Manual feed slot):</b> 1 sheets</li> <li>• <b>Paper size: Tray (Main tray):</b> Custom sizes: 105 x 149 mm to 216 x 356 mm <b>Tray (Manual feed slot):</b> Custom sizes: 76 x 127 mm to 216 x 356 mm</li> <li>• <b>Output capacity:</b> 120 sheets</li> <li>• <b>Security features:</b> 802.1x authentication, IPSec, IPv4, IPv6, Mac address filtering, SNMPv3, Scan to Email with authentication, Secure HTTPS (SSL), Secure LDAP, USB Port Disablement, WPA2 Enterprise, WPA2 Personal</li> </ul>

*M. Rafiq Tohid*